

SENSOR LIGHT

 musashi



SENSOR LIGHT
Market Share
in 2022

JAPAN NO. 1

RITEX



Musashi Inc. is the leading manufacture of Sensor Light in Japan for more than 35 years. We have about 65% share in Japan market for outdoor and indoor sensor light. All products are designed in Japan and manufactured in China under quality control of our company.

Company Profile

Company Name : Musashi Inc.

Address : 551-1, Sato, Heiso-cho, Kakogawa City, Hyogo Pref., 675-1232 Japan

Office : Distribution/Inspection Center (Kakogawa City)

Business Office in Niigata Pref. (Sanjo City)

China Office and Distribution/Inspection Center (Zhejiang Province)

Guangdong Distribution/Inspection Center (Guangdong Province)

Marketing Division (Kakogawa City)

Founded : October 1950

Established : October 1983

President and CEO : Atsushi Okamoto

Number of Employees : 120 (including part-time employees)

Associated Company : PROTO Co., Ltd.

Contents

P 3	Contents
P 4-5	Anywhere sensor light series
P 6-8	Dry cell battery sensor light
P 9-11	Solar sensor light
P 12-13	Hybrid solar light
P 14-15	AC sensor light
P 16-17	LED portable sensor light
P 18-19	Multicolored Portable Light

Anywhere sensor light series

ASC-900

1w LED

Rechargeable Anywhere Sensor Light

Flexible installation!

LED PORTABLE SENSOR LIGHT

Main body size(mm) W86xD80xH97	Rechargeable 3.7V 1500mAh	Auto ON/OFF detectable range Maximum 100° 4m	Lighting time Sensor (15 sec. ON)/ OFF / Stay-ON	Waterproof IP65
Package Box	Flashlight	Tripod	Magnet	USB cable included
Package size(mm) W130xD85xH200				
Inner carton 6	Outer carton 24			

* Main body weight: 140g



Sensor mode
90 days
(15sec. ON/10times/day)
Stay-ON mode
3.5 hours

130 lumen

ASC-930

3w LED

Rechargeable Anywhere Sensor Light 300


Long battery life

LED PORTABLE SENSOR LIGHT

Main body size(mm) W101xD95xH112	Rechargeable 3.7V 1800mAh	Auto ON/OFF detectable range Maximum 100° 4m	Lighting time Sensor (15 sec. ON)/ OFF / Stay-ON	Waterproof IP65
Package Box	Flashlight	Tripod	Magnet	USB cable included
Package size(mm) W150xD108xH230				
Inner carton —	Outer carton 12			

* Main body weight: 180g

Brightness is adjustable



Sensor mode
720 days
(15sec. ON/10times/day)
Stay-ON mode
65 hours
(Low)


300 lumen

Common functions: Anywhere series


Lights ON when you approach



Stay-ON mode



Installation



Flexible Tripod: binding

Magnet

Standing

ASL-097

3w LED


Anywhere LED Sensor Light 300lm
LED PORTABLE SENSOR LIGHT

Long battery life

Main body size(mm) W108xD94xH140	Package Box
Package size(mm) W150xD108xH230	Inner carton —
Outer carton 12	



* Main body weight: 290g



Dry cell	Auto ON/OFF detectable range Maximum 100° 4m	Lighting time Sensor (10/30 sec. ON)/ OFF / Stay-ON	Rainproof IP43	Flashlight	Tripod	Magnet
----------	--	---	-------------------	------------	--------	--------



Long life
D×3
Battery lifetime
1100 days
(Low, 10sec. ON/10times/day)
Stay-ON mode
54 hours
(Low)

300 lumen



ASL-090

1w LED

Anywhere LED Sensor Light
LED PORTABLE SENSOR LIGHT

Flexible installation!

Main body size(mm) W92xD80xH100	Package Box
Package size(mm) W130xD85xH200	Inner carton 6
Outer carton 24	



* Main body weight: 132g



Dry cell	Auto ON/OFF detectable range Maximum 100° 4m	Lighting time Sensor (10 sec. ON) / OFF / Stay-ON	Rainproof IP43	Flashlight	Tripod	Magnet
----------	--	---	-------------------	------------	--------	--------

AA×3
Battery lifetime
180 days
(10sec. ON/10times/day)
Stay-ON mode
7 hours

110 lumen

ASL-092

0.75w×2 LED

Anywhere LED Sensor Light Double
LED PORTABLE SENSOR LIGHT

Light angle flexible

Main body size(mm) W90xD113xH102	Package Box
Package size(mm) W130xD100xH200	Inner carton 6
Outer carton 12	



* Main body weight: 200g



Unprecedented freedom of light distribution



Dry cell	Auto ON/OFF detectable range Maximum 100° 4m	Lighting time Sensor (10 sec. ON) / OFF / Stay-ON	Rainproof IP43	Flashlight	Tripod	Magnet
----------	--	---	-------------------	------------	--------	--------



AA×3
Battery lifetime
120 days
(10sec. ON/10times/day)
Stay-ON mode
4.5 hours

170 lumen

ASL-093

1w LED

Anywhere LED Solar Sensor Light
LED PORTABLE SENSOR LIGHT

Solar power

No battery replacement required

Main body size(mm) W82xD90xH132	Package Box
Package size(mm) W130xD100xH200	Inner carton 6
Outer carton 12	



* Main body weight: 250g



Light/solar rotate 330° independently

Efficient power generation toward the sun.



Solar battery 3.6V 500mAh	Auto ON/OFF detectable range Maximum 100° 4m	Lighting time Sensor (10 sec. ON) / OFF / Stay-ON	Rainproof IP43	Flashlight	Tripod	Magnet
------------------------------	--	---	-------------------	------------	--------	--------



Lighting time adjustment
10sec. ON per one time
Stay-ON

With full charge
approx. 380 time
approx. 60 minutes

110 lumen




Brightness switching



Flexible arm
Dry cell battery

Battery-operated, installable anywhere easily



LED-170

9W Wide Battery-operated LED Sensor Light with Flexible Arm
LED BATTERY SENSOR LIGHT

9W LED

Wide Glareless Light

Main body size(mm)
W152xD139xH144

Package Box

Package size(mm)
W155xD147xH145

Inner carton Outer carton
— 6



4 954849 531705

Brightness switching



- Dry cell
- Auto ON/OFF detectable range Maximum 180° 8m
- Lighting time 10 sec/ 10 sec flashing
- Brightness switching
- 24 hr guard with red light
- Flashing
- Rainproof IP44



800 lumen

D×3
Battery lifetime
240 days
(50% lighting, 10times/day)
120 days
(100% lighting, 10times/day)

LED-270

5W×2 Battery-operated LED Sensor Light with Flexible Arm
LED BATTERY SENSOR LIGHT

5W×2 LED

2 lights with brightness adjustable switch



D×3
Battery lifetime
240 days
(50% lighting, 10times/day)
135 days
(100% lighting, 10times/day)

900 lumen

Main body size(mm)
W281xD134xH145

Package Box

Package size(mm)
W213xD155xH145

Inner carton Outer carton
— 6

4 954849 532702



- Dry cell
- Auto ON/OFF detectable range Maximum 180° 8m
- Lighting time 10 sec/ 10 sec flashing
- Brightness switching
- 24 hr guard with red light
- Flashing
- Rainproof IP44



* Main body weight: 390g

LED-320

5W×3 Battery-operated LED Sensor Light with Flexible Arm
LED BATTERY SENSOR LIGHT

5W×3 LED

3 lights with brightness adjustable switch



D×3
Battery lifetime
165 days
(50% lighting, 10times/day)
90 days
(100% lighting, 10times/day)

1350 lumen


Main body size(mm)
W281xD134xH145

Package Box

Package size(mm)
W213xD155xH145

Inner carton Outer carton
— 6

4 954849 533204



- Dry cell
- Auto ON/OFF detectable range Maximum 180° 8m
- Lighting time 10 sec/ 10 sec flashing
- Brightness switching
- 24 hr guard with red light
- Flashing
- Rainproof IP44



* Main body weight: 430g

LED-160

Outdoor Ceiling Sensor Light (Standard type)
LED BATTERY SENSOR LIGHT

8.5W LED

Outdoor Ceiling Sensor Light



D×3
Battery lifetime
135 days
(20sec.×10times/day)

480 lumen

Main body size(mm)
W175xD175xH80

Package Box

Package size(mm)
W180xD90xH190

Inner carton Outer carton
— 12

4 954849 531606



* Main body weight: 330g

- Dry cell
- Auto ON/OFF detectable range Maximum 360° 4m
- Lighting time Sensor (20 sec. ON)
- Rainproof IP44
- ON / OFF Softly
- Stainless steel band



LED-165

Outdoor Ceiling Sensor Light (Advanced type)
LED BATTERY SENSOR LIGHT

8.5W LED

Outdoor Ceiling Sensor Light with remote control



Long life
D×3
Battery lifetime
915 days
(5sec.×10times/day, Brightness:Low)
Floodlight mode
8.5 hours
(Brightness: Low)

480 lumen

Main body size(mm)
W175xD175xH80

Package Box

Package size(mm)
W180xD90xH190


Inner carton Outer carton
— 12

4 954849 531651



* Main body weight: 350g

- Dry cell
- Auto ON/OFF detectable range Maximum 360° 4m
- Lighting time Sensor (5 / 10 / 20 / 30 sec. ON)
- Rainproof IP44
- Floodlight
- Remote control
- Stainless steel band



* Lighting time 5sec., 10 times ON per 1day.



LED-CY130

4.5W LED

4.5W × 1 Battery-operated Modern Design Sensor Light
LED BATTERY SENSOR LIGHT

Modern design
Brightness switching


Main body size(mm) W80×D119×H152	
Package Box	4 954849 990083
Package size(mm) W158×D90×H145	
Inner carton	Outer carton
—	12



* Main body weight: 255g



Brightness switching



Long life
D×3
Battery lifetime
555 days
(50% Lighting, 10times/day)
300 days
(100% Lighting, 10times/day)

260 lumen

Dry cell	Auto ON/OFF detectable range Maximum 120° 8m	Lighting time 10 sec	Brightness switching	Rainproof IP44	*Clamp is not included
----------	---	-------------------------	----------------------	----------------	------------------------

LED-CY260

4.5W×2 LED

4.5W × 2 Battery-operated Modern Design Sensor Light
LED BATTERY SENSOR LIGHT

Modern design with 2 lights
Brightness switching

Main body size(mm) W240×D119×H80	
Package Box	4 954849 990090
Package size(mm) W248×D90×H145	
Inner carton	Outer carton
—	12



* Main body weight: 330g



D×3
Battery lifetime
300 days
(50% Lighting, 10times/day)
150 days
(100% Lighting, 10times/day)

520 lumen



Dry cell	Auto ON/OFF detectable range Maximum 120° 8m	Lighting time 10 sec	Brightness switching	Rainproof IP44	*Clamp is not included
----------	---	-------------------------	----------------------	----------------	------------------------

S-CY30

4.5W LED

4.5W × 1 Modern Design Solar Sensor Light
LED SOLAR SENSOR LIGHT

Solar power
Brightness switching

Main body size(mm) W80×D119×H152	
Package Box	4 954849 990069
Package size(mm) W173×D144×H145	
Inner carton	Outer carton
—	6




* Main body weight: 240g
Solar panel size:
W82×D50×H157 190g



Brightness	With full charge
100%	approx.340 times.
50%	approx.685 times.



*Cord length: 5m



Solar battery 3.7V 1200mAh	Auto ON/OFF detectable range Maximum 120° 8m	Lighting time 10 sec	Brightness switching	Rainproof IP44	*Clamp is not included
-------------------------------	---	-------------------------	----------------------	----------------	------------------------

260 lumen

S-CY60

4.5W×2 LED

4.5W × 2 Modern Design Solar Sensor Light
LED SOLAR SENSOR LIGHT

2 lights with solar power
Brightness switching

Main body size(mm) W240×D119×H80	
Package Box	4 954849 990076
Package size(mm) W258×D144×H145	
Inner carton	Outer carton
—	6



* Main body weight: 320g
Solar panel size:
W82×D50×H157 190g



Brightness	With full charge
100%	approx.170 times.
50%	approx.340 times.



*Cord length: 5m




Solar battery 3.7V 1200mAh	Auto ON/OFF detectable range Maximum 120° 8m	Lighting time 10 sec	Brightness switching	Rainproof IP44	*Clamp is not included
-------------------------------	---	-------------------------	----------------------	----------------	------------------------

520 lumen

Flexible Arm
Self Energy-saving Mode
Maintenance-free




Preventing from running out of battery



Brightness switching



Can be a night light with solar power



- Solar battery
- Auto ON/OFF detectable range
Maximum 180° 8m
- Lighting time
10 sec/
10 sec flashing
- Night light
- Brightness switching
- 24 hr guard with red light
- Flashing
- Rainproof IP44



S-110L

5W LED

5W×1 LED Solar Sensor Light with Flexible Arm
LED SOLAR SENSOR LIGHT

With night light function

Main body size(mm) W91×D124×H135	Brightness	With full charge
Package Box	100%	approx. 290 times.
Package size(mm) W200×D140×H145	50%	approx. 590 times.
Inner carton	Outer carton	
—	6	



* Main body weight: 250g
Solar panel size:
W86×D50×H159 210g



*Cord length: 5m

Solar battery
3.6V 1200mAh

450
lumen



S-220L

5W×2 LED

5W×2 LED Solar Sensor Light with Flexible Arm
LED SOLAR SENSOR LIGHT

Dual lights with night light function

Main body size(mm) W281×D124×H135	Brightness	With full charge
Package Box	100%	approx. 230 times.
Package size(mm) W213×D193×H145	50%	approx. 460 times.
Inner carton	Outer carton	
—	6	



* Main body weight: 370g
Solar panel size:
W86×D50×H159 210g



*Cord length: 5m

Solar battery
3.6V 1800mAh

900
lumen



S-330L

5W×3 LED


5W×3 LED Solar Sensor Light with Flexible Arm
LED SOLAR SENSOR LIGHT

Triple lights with night light function

Main body size(mm) W281×D124×H135	Brightness	With full charge
Package Box	100%	approx. 260 times.
Package size(mm) W213×D193×H145	50%	approx. 520 times.
Inner carton	Outer carton	
—	6	



* Main body weight: 450g
Solar panel size:
W103×D50×H188 270g




*Cord length: 5m


Solar battery
3.6V 3000mAh

1350
lumen





Automatically switches to dry batteries when there is not enough sunlight



Flexible arm
Hybrid solar light

S-HB250

6.5W x 2 LED

6.5W x 2 LED Hybrid Solar Sensor Light

HYBRID SOLAR SENSOR LIGHT

Lights up stably without enough sunshine



GOOD DESIGN


Main body size(mm) W281xD134xH147	4 954849 532504
Package size(mm) W213xD193xH145	
Inner carton	Outer carton
—	6



* Main body weight: 490g
Solar panel size: W103xD50xH188 270g



*Cord length: 5m



Brightness switching



Brightness	Rechargeable battery with full charge	Dry cell batteries
100%	approx.300times.	approx.400times.
50%	approx.600times.	approx.800times.



1200 lumen

- Solar battery 3.6V 3000mAh
- Dry cell AA×3
- Auto ON/OFF detectable range Maximum 180° 8m
- Lighting time 10 sec/ 10 sec flashing
- Brightness switching
- 24 hr guard with red light
- Flashing
- Rainproof IP44

SWL-HB101

3w LED

Hybrid Solar Sensor Light (Square)

HYBRID SOLAR SENSOR LIGHT

Easy setup

Lights up stably without enough sunshine

Stainless steel band included

Main body size(mm)
W110xD42xH160

Package Card / Blister

Package size(mm)
W140xD50xH260

Inner carton Outer carton

— 12



* Main body weight: 255g

Dim light: ON

Auto ON when gets dark (When using a battery)



Dim light: OFF in the dark



Dim light	Rechargeable battery with full charge	Dry cell batteries
ON	approx.580times.	approx.670times.
OFF	approx.630times.	

Solar battery 3.7V 1500mAh

Dry cell AA×3

Auto ON/OFF detectable range Maximum 100° 4m

Lighting time 10 sec

Dim light

Waterproof IP65

250 lumen

SWL-HB102

3w LED

Hybrid Solar Sensor Light (Round)

HYBRID SOLAR SENSOR LIGHT

Easy setup

Lights up stably without enough sunshine

Stainless steel band included

Main body size(mm)
W155xD40xH155

Package Card / Blister

Package size(mm)
W177xD50xH260

Inner carton Outer carton

— 12





* Main body weight: 265g

Dim light: ON

Auto ON when gets dark (When using a battery)



Dim light: OFF in the dark



Dim light	Rechargeable battery with full charge	Dry cell batteries
ON	approx.580times.	approx.670times.
OFF	approx.630times.	

Solar battery 3.7V 1500mAh

Dry cell AA×3

Auto ON/OFF detectable range Maximum 100° 4m

Lighting time 10 sec


Dim light

Waterproof IP65

250 lumen

Flexible arm, Remote control included

Security Life - Warning Sound and Auto Lighting




Sensor light



Security light



In addition



Floodlight



AC 100V	Auto ON/OFF detectable range Maximum 180° 12m	Lighting time 10 sec/30 sec/5 min 10 sec flashing	Sensor sensitivity Low / Medium / High	Night light	Floodlight	24 hr guard with red light	Flashing
Cord length 3m	Water resistance IP44	Remote control					



LED-AC1015

12W LED

12W × 1 LED Sensor Light with Remote Control
LED SENSOR LIGHT

Main body size(mm)
W105×D141×H127

Package Box

Package size(mm)
W160×D138×H150

Inner carton Outer carton
— 6



* Main body weight: 710g

Remote control and Buzzer



1000 lumen

LED-AC2030

12W×2 LED

12W × 2 LED Sensor Light with Remote Control
LED SENSOR LIGHT

Main body size(mm)
W325×D141×H127

Package Box

Package size(mm)
W228×D138×H150

Inner carton Outer carton
— 6



* Main body weight: 1010g

Dual lights
Remote control and Buzzer



2200 lumen

LED-AC3045

12W×3 LED

12W × 3 LED Sensor Light with Remote Control
LED SENSOR LIGHT

Main body size(mm)
W325×D141×H127

Package Box

Package size(mm)
W228×D138×H150

Inner carton Outer carton
— 6



* Main body weight: 1110g

Triple lights
Remote control and Buzzer



3200 lumen

ASC-800

Anywhere Flat Sensor Light

LED HOME LIGHT

1w LED

Long battery life

Main body size(mm)
W49xD13.5xH255

Package
Card / Blister

Package size(mm)
W120xD39xH270

Inner carton Outer carton
6 36



* Main body weight: 105g



Rechargeable 3.7V 1100mAh

Auto ON/OFF detectable range
Maximum 100° 4m

Lighting time
Sensor (15 sec. ON) / OFF / Stay-ON

Indoor

Magnet

USB cable



Sensor mode
60 days
(15sec. x 10 times/day)
Stay-ON mode
2.75 hours

Warm white color

100 lumen

*USB charger is NOT included.

GS-150

Portable Sensor Light Mini

LED PORTABLE SENSOR LIGHT

0.25w LED

Easy installation with magnet, hook, pins

Main body size(mm)
W38xD33xH70


Package
Card / Blister

Package size(mm)
W100xD45xH140

Inner carton Outer carton
10 100



* Main body weight: 70g



Auto ON/OFF mode

Magnet

Small and super light weight

Dry cell

Auto ON/OFF detectable range
Maximum 100° 4m

Lighting time
Sensor (10 sec. ON) / OFF / Stay-ON

Indoor

Detachable holder



AAA×3
Battery lifetime
270 days
(15sec. x 10 times/day)
Stay-ON mode
18 hours

14.5 lumen

ASL-020

LED Sensor Slim Light

LED PORTABLE SENSOR LIGHT

0.2w LED

Slim fluorescent tube Bright and beautiful

Main body size(mm)
W40xD39xH165


Package
Card / Blister

Package size(mm)
W99xD48xH272

Inner carton Outer carton
10 100



* Main body weight: 80g



Auto ON/OFF mode

Stay-ON mode

Dry cell

Auto ON/OFF detectable range
Maximum 100° 4m

Lighting time
Sensor (30 sec. ON) / OFF / Stay-ON

Indoor

Detachable holder



AA×3
Battery lifetime
200 days
(30sec. x 10 times/day)
Stay-ON mode
40 hours

11.6 lumen

ASL-035

Anywhere Welcome Sensor Light with Flashlight

LED PORTABLE SENSOR LIGHT

0.5w LED

Hospitality light Handy light

Main body size(mm)
W55xD55xH220


Package
Box

Package size(mm)
W75xD65xH270

Inner carton Outer carton
6 36



* Main body weight: 120g



Dry cell

Auto ON/OFF detectable range
Maximum 100° 4m

Lighting time
Sensor (10 sec. ON) / OFF / Stay-ON

Indoor

Flashlight

Auto lit softly *sensor mode



AAA×3
Battery lifetime
140 days
(10sec. x 10 times/day)
Stay-ON mode
9 hours

Warm white color

30 lumen

40 lumen



ASL-030

LED Sensor Slim Light with Flashlight

LED PORTABLE SENSOR LIGHT

0.2w LED

3 functions by 1 unit

Main body size(mm)
W45xD45xH195

Package
Card / Blister

Package size(mm)
W120xD55xH272

Inner carton Outer carton
10 40



* Main body weight: 130g



Auto ON/OFF mode

Table light

Flashlight

Dry cell

Auto ON/OFF detectable range
Maximum 100° 4m

Lighting time
Sensor (20 sec. ON) / OFF / Stay-ON

Indoor

Flashlight

Detachable holder



AA×3
Battery lifetime
300 days
(20sec. x 10 times/day)
Stay-ON mode
Slim tube
25 hours
Flashlight
35 hours

11.6 lumen

*Slim tube

ASL-050

LED Sensor Slim Light DX

LED PORTABLE SENSOR LIGHT

1w+0.1w LED

High-luminance 1W LED

Main body size(mm)
W42xD56xH203

Package
Card / Blister

Package size(mm)
W120xD65xH272

Inner carton Outer carton
10 40



* Main body weight: 160g



Auto ON/OFF mode

Stay-ON mode

Attachable sideways

Dry cell

Auto ON/OFF detectable range
Maximum 100° 4m

Lighting time
Sensor (20 sec. ON) / OFF / Stay-ON

Indoor

Detachable holder



C×3
Battery lifetime
200 days
(20sec. x 10 times/day)
Stay-ON mode
20 hours

88 lumen

Night Light Sphere

AAAx3 | **Auto ON/OFF detectable range** Maximum 100° 3m | **Lighting time** Sensor (1.0 sec. ON) / OFF / Stay-ON | **Stay-ON** | **Indoor**

50 lumen | **Battery lifetime** 110 days (1.0sec x 1.0times/day) | **Stay-ON mode** 8 hours | **With Magnetic Base**

Grayish Blue | Pearl Gray | Champagne Pink

Item No.	Color	JAN
WSL-001GB	Grayish Blue	4954849990045
WSL-001PG	Pearl Gray	4954849990052
WSL-001SP	Champagne Pink	4954849990038

Inner box	Outer box	Package	Package size(mm)
6	72	Box	W83 × D74 × H154

Rechargeable Round Kitten Sensor Light

Rechargeable 3.7V 500mAh | **Auto ON/OFF detectable range** Maximum 100° 3m | **Lighting time** Sensor (1.5 sec. ON) / OFF / Stay-ON | **Stay-ON** | **Indoor**

50 lumen | **Sensor mode** 75 days (1.0times/day) | **Stay-ON mode** 3 hours (With full charge) | **With Magnetic Base**

Gray | Black | Cream pink

Item No.	Color	JAN
WAM-051BK	Black	4954849990472
WAM-052GR	Gray	4954849990489
WAM-053AC	Cream pink	4954849990496

Inner box	Outer box	Package	Package size(mm)
6	36	Box	W83×D76×H150

Anywhere LED Sensor Light

AAx3 | **Auto ON/OFF detectable range** Maximum 100° 4m | **Lighting time** Sensor (1.0 sec. ON) / OFF / Stay-ON | **Stay-ON** | **Water resistant Indoor / Outdoor**

130 lumen | **Battery lifetime** 180 days (1.0sec x 1.0times/day) | **Stay-ON mode** 7 hours | **With Magnetic Base**

Item No.	Color	JAN
WSL-003MB	Mocha Beige	4954849990113

Inner box	Outer box	Package	Package size(mm)
6	24	Box	W130 × D85 × H200

Rechargeable Super Bright Mini Light

Rechargeable 3.7V 500mAh | **Brightness** 3 grades | **Flashing** | **Water resistant Indoor / Outdoor (IP65)** | **Stay-ON**

Item No.	Color	JAN
WRC-20WH	Off-white	4954849990403
WRC-21DP	Dusty pink	4954849990410
WRC-22DB	Dusty blue	4954849990427
WRC-23BK	Matt black	4954849990434
WRC-24MG	Mint green / Champaign gold	4954849990441
WRC-25GB	Deep green / Blue	4954849990458
WRC-26RP	Rose / Pink	4954849990465

	High	Middle	Low	Flashing
Brightness	600lm	350lm	100lm	—
Battery lifetime*	1 h	1.5 h	5 h	3 h

* With full charge

Inner box	Outer box	Package	Package size(mm)
6	72	Card / Blister	W72×D25×H138

Anywhere Flat Sensor Light

Rechargeable 3.7V 1100mAh | **Auto ON/OFF detectable range** Maximum 100° 3m | **Lighting time** Sensor (1.0 sec. ON) / OFF / Stay-ON | **Stay-ON** | **Indoor**

50 lumen | **Sensor mode** 150 days (1.0times/day) | **Stay-ON mode** 7.5 hours (With full charge) | **Hook is equipped** | **With Magnet**

Mocha Beige | Ivory White

Item No.	Color	JAN
WSL-005IW	Ivory White	4954849990120
WSL-005MB	Mocha Beige	4954849990137

Inner box	Outer box	Package	Package size(mm)
5	50	Box	W69 × D17 × H240

Rechargeable Multi LED Light 6W

Item No.	Color	JAN
COB-WL005BK	Black	4954849992063
COB-WL006GB	Gray	4954849992070
COB-WL007R	Red	4954849992087
COB-WL008KH	Khaki	4954849992094
COB-WL009MB	Blue	4954849992100
COB-WL010PU	Purple	4954849992117
COB-WL011Y	Yellow	4954849992124

<https://musashi.inc/en/>



551-1, Sato, Heiso-cho, Kakogawa City, Hyogo Pref., 675-1232 Japan

Telephone : +81-50-3627-4900

Facsimile : +81-79-429-0333

global@musashi-mfg.com