

SENSOR LIGHT



SENSOR LIGHT
Market Share
in 2019

JAPAN No. 1

RITEX



Musashi Inc. is the leading manufacture of Sensor Light in Japan for more than 35 years. We have about 65% share in Japan market for outdoor and indoor sensor light. All products are designed in Japan and manufactured in China under quality control of our company.

Company Profile

Company Name : Musashi Inc.
 Address : 551-1, Sato, Heiso-cho, Kakogawa City, Hyogo Pref., 675-1232 Japan
 Office : Distribution/Inspection Center (Kakogawa City)
 Business Office in Niigata Pref. (Sanjo City)
 China Office and Distribution/Inspection Center (Zhejiang Province)
 Guangdong Distribution/Inspection Center (Guangdong Province)
 Marketing Division (Kakogawa City)
 Founded : October 1950
 Established : October 1983
 President and CEO : Atsushi Okamoto
 Number of Employees : 120 (including part-time employees)
 Associated Company : Musashi international Inc., PROTO Inc.

C o n t e n t s

P 3Contents

P 4-5.....Anywhere sensor light series

P 6-7.....Dry cell battery sensor light

P 8-9.....Solar sensor light

P 10.....LED hybrid solar sensor light

P 11AC LED sensor light with camera

P 12-13AC sensor light

P 14-17LED portable sensor light / Anywhere sensor light series

P 18-19Rechargable LED light

Anywhere sensor light series

ASL-097

Anywhere LED Sensor Light 300lm

LED PORTABLE SENSOR LIGHT

3w LED

Long battery life

Main body size(mm)
W108xD94xH140

Package box

Package size(mm)
W150xD108xH230

Inner carton
—

Outer carton
12

Dry cell

Auto ON/OFF detectable range
Maximum 100° 4m

Lighting time
Sensor (10/30 sec. ON) / OFF / Stay-ON

Rainproof

Handy light

Tripod

Magnet

110 lumen
Low

175 lumen
Middle

300 lumen
High

Battery lifetime
1100 days

Battery lifetime
860 days

Battery lifetime
500 days*

10 sec

30 sec

Stay-ON

QRcode

300 lumen



Long life
D×3
Battery lifetime
1100days
(10sec.×10times/day, Brightness: Weak)

Stay-ON mode
54hours

* Main body weight: 290g

* Lighting time 10sec.

ASL-090

Anywhere LED Sensor Light

LED PORTABLE SENSOR LIGHT

1w LED

Flexible installation!

Main body size(mm)
W92xD80xH100

Package box

Package size(mm)
W130xD85xH200

Inner carton
6

Outer carton
24

Dry cell

Auto ON/OFF detectable range
Maximum 100° 4m

Lighting time
Sensor (10 sec. ON) / OFF / Stay-ON

Rainproof

Handy light

Tripod

Magnet

110 lumen



AA×3
Battery lifetime
180days
(10sec.×10times/day)

Stay-ON mode
7hours

110 lumen

* Main body weight: 145g

Common functions: Anywhere series

Auto ON/OFF mode

Stay-ON mode

Installation

For fence

For pillar

For storage, lockers

For outdoor

360° rotation

Magnet

* ASL-090 / ASL-095 / ASL-097

ASL-092

Anywhere LED Sensor Light Double

LED PORTABLE SENSOR LIGHT

0.75w×2 LED

Light angle flexible

Main body size(mm)
W90xD113xH102

Package box

Package size(mm)
W130xD100xH200

Inner carton
6

Outer carton
12

Dry cell

Auto ON/OFF detectable range
Maximum 100° 4m

Lighting time
Sensor (10 sec. ON) / OFF / Stay-ON

Rainproof


Handy light

Tripod

Magnet

Light angle flexible

* Main body weight: 200g



AA×3
Battery lifetime
120days
(10sec.×10times/day)

Stay-ON mode
4.5hours

170 lumen



ASL-093

Anywhere LED Solar Sensor Light

LED PORTABLE SENSOR LIGHT

1w LED

Solar power
No battery replacement required

Main body size(mm)
W82xD90xH132

Package box

Package size(mm)
W130xD100xH200

Inner carton
6

Outer carton
12

Solar battery

Auto ON/OFF detectable range
Maximum 100° 4m

Lighting time
Sensor (10 sec. ON) / OFF / Stay-ON

Rainproof

Handy light

Tripod

Magnet

Solar power

Energy saving

* Main body weight: 250g



110 lumen



Lighting time adjustment
10sec. ON per one time
Stay-ON

With full charge
approx. 380 time
approx. 60 minutes

ASL-095

Anywhere LED Sensor Light Toning/Dimming

LED PORTABLE SENSOR LIGHT

2w RGB-LED

Create any light color you like

Main body size(mm)
W92xD80xH100

Package box

Package size(mm)
W130xD85xH200

Inner carton
6

Outer carton
24

Dry cell

Auto ON/OFF detectable range
Maximum 100° 4m

Lighting time
Sensor (10 sec. ON) / OFF / Stay-ON

Rainproof

Handy light

Tripod

Magnet

Toning/dimming function only for ASL-095

* Main body weight: 150g

Auto ON/OFF mode

Various toning / dimming function of about 1000 colors

Gentle light of bulb-light color

White light

Bulb light

Adjusting the toning/dimming knobs for blue, green, and red to 0 to 10 step levels enables to create about 1000 colors as you like.

Security light / Illumination light

Toning/Dimming

*Toning/dimming is functioned ASL-095 only



AA×3
Battery lifetime
120days
(10sec.×10times/day)

Stay-ON mode
5hours


110 lumen



Dry cell battery

Battery-operated. installable anywhere easily

RITEX



Flexible arm Dry cell battery

Battery-operated, installable anywhere easily




Garage




Front door



Garden



Backdoor, storage



Path, stairs



Balcony

LED-150

4.5W Wide Battery LED Sensor Light
with Flexible Arm

LED BATTERY SENSOR LIGHT

4.5W
LED

Bright battery-operated lamp

Main body size(mm)
W152xD165xH153

Package
box

Package size(mm)
W180xD165xH145

Inner carton Outer carton
— 6



* Main body weight: 450g



Wide



Long life
D×3
Battery lifetime
660days
(5sec.×10times/day)



400
lumen

Equal to incandescent lamp 60w

Dry cell Auto ON/OFF detectable range Maximum 140° 6m Lighting time 5 sec / 20 sec / 20 sec flashing 24 hr guard with red light Flashing Rainproof

LED-265

3.5W×2 LED Sensor Light
with Flexible Arm
LED BATTERY SENSOR LIGHT

3.5W×2
LED

Light angle/installation
flexible

Main body size(mm)
W280xD176xH153

Package
box

Package size(mm)
W290xD145xH145

Inner carton Outer carton
— 6



* Main body weight:530g



Long life
D×3
Battery lifetime
420days
(5sec.×10times/day)

600
lumen

Equal to incandescent lamp 100w



Dry cell Auto ON/OFF detectable range Maximum 140° 6m Lighting time 5 sec / 20 sec / 20 sec flashing 24 hr guard with red light Flashing Rainproof

LED-135

3.5W×1 LED Sensor Light
with Flexible Arm
LED BATTERY SENSOR LIGHT

3.5W
LED

Amazing 840days
battery lifetime

Main body size(mm)
W98xD176xH153

Package
box

Package size(mm)
W185xD110xH145

Inner carton Outer carton
— 6



* Main body weight:400g



Long life
D×3
Battery lifetime
840days
(5sec.×10times/day)

300
lumen

Equal to incandescent lamp 50w



Dry cell Auto ON/OFF detectable range Maximum 140° 6m Lighting time 5 sec / 20 sec / 20 sec flashing 24 hr guard with red light Flashing Rainproof

LED-225

1.3W×2 LED Sensor Light
with Flexible Arm
LED BATTERY SENSOR LIGHT

1.3W×2
LED

Light angle/installation
flexible

Main body size(mm)
W242xD156xH135

Package
box

Package size(mm)
W260xD125xH145

Inner carton Outer carton
— 12



* Main body weight:400g



AA×3
Battery lifetime
90days
(10sec.×10times/day)
*Clamp is optional.

220
lumen

Equal to incandescent lamp 30w



Dry cell Auto ON/OFF detectable range Maximum 140° 6m Lighting time 10 seconds Rainproof

LED-115

1.3W×1 LED Sensor Light
with Flexible Arm
LED BATTERY SENSOR LIGHT

1.3W
LED

Compact

Main body size(mm)
W88xD156xH135

Package
box

Package size(mm)
W175xD100xH145

Inner carton Outer carton
— 12



* Main body weight:280g



AA×3
Battery lifetime
180days
(10sec.×10times/day)
*Clamp is optional.

110
lumen

Equal to incandescent lamp 15w



Dry cell Auto ON/OFF detectable range Maximum 140° 6m Lighting time 10 seconds Rainproof



Solar



No power supply and energy saving.
Charging in daytime, lighting / crime prevention at night.

RITEX



Flexible arm
Solar

No power supply and energy saving



S-50L

5W Wide LED Solar Sensor Light
with Flexible Arm
LED SOLAR SENSOR LIGHT

5W
LED

NEW

Cool white?
Or warm white?

Main body size(mm)	W160xD125xH152
Package box	
Package size(mm)	W190xD210xH145
Inner carton	Outer carton
—	6

* Main body weight: 440g
Solar panel size:
W100xD50xH191 220g

Light color temperature changeable



*Cord length: 5m

400
lumen

Equal to incandescent lamp 60w

Lighting time adjustment	With full charge
20sec. ON per one time	approx. 130 times.
5sec. ON per one time	approx. 520 times.



Solar battery	Auto ON/OFF detectable range	Lighting time	24 hr guard	Flashing	Rainproof
	Maximum 140° 8m	5 sec / 20 sec / 20 sec flashing	with red light		

S-90L

5W×3 LED Solar Sensor Light
with Flexible Arm
LED SOLAR SENSOR LIGHT

5W×3
LED

Light angle/installation flexible

Main body size(mm)	W295xD125xH146
Package box	
Package size(mm)	W230xD195xH180
Inner carton	Outer carton
—	6

* Main body weight: 650g
Solar panel size: W176xD50xH211 400g

Solar battery	Auto ON/OFF detectable range	Lighting time	24 hr guard	Flashing	Rainproof
	Maximum 140° 8m	5 sec / 20 sec / 20 sec flashing	with red light		

Lighting time adjustment	With full charge
20sec. ON per one time	approx. 125 times.
5sec. ON per one time	approx. 500 times.



*Cord length: 5m

GOOD DESIGN

1400
lumen

Equal to incandescent lamp 210w



S-80L

8W Wide LED Solar Sensor Light
with Flexible Arm
LED SOLAR SENSOR LIGHT

8W
LED

Super bright by solar power

Main body size(mm)	W152xD165xH153
Package box	
Package size(mm)	W200xD190xH145
Inner carton	Outer carton
—	6

* Main body weight: 420g
Solar panel size:
W100xD50xH191 220g

Solar battery	Auto ON/OFF detectable range	Lighting time	24 hr guard	Flashing	Rainproof
	Maximum 140° 6m	5 sec / 20 sec / 20 sec flashing	with red light		



Lighting time adjustment	With full charge
20sec. ON per one time	approx. 80 times.
5sec. ON per one time	approx. 320 times.



*Cord length: 5m

800
lumen

Equal to incandescent lamp 120w



S-25L

1.3W×2 LED Solar Sensor Light
with Flexible Arm
LED SOLAR SENSOR LIGHT

1.3W×2
LED

Light angle/installation flexible
Wide lighting area

Main body size(mm)	W242xD156xH135
Package box	
Package size(mm)	W250xD165xH145
Inner carton	Outer carton
—	6

* Main body weight: 400g
Solar panel size: W100xD50xH191 220g

Solar battery	Auto ON/OFF detectable range	Lighting time	24 hr guard	Rainproof
	Maximum 140° 6m	10 seconds	with red light	

Lighting time adjustment	With full charge
10sec. ON per one time	approx. 300 times.



*Cord length: 5m

220
lumen

Equal to incandescent lamp 30w



*Clamp is optional.

S-15L

1.3W×1 LED Solar Sensor Light
with Flexible Arm
LED SOLAR SENSOR LIGHT

1.3W
LED

Light angle/installation flexible

Main body size(mm)	W88xD156xH135
Package box	
Package size(mm)	W210xD130xH145
Inner carton	Outer carton
—	6

* Main body weight: 280g
Solar panel size: W100xD50xH191 220g

Solar battery	Auto ON/OFF detectable range	Lighting time	24 hr guard	Rainproof
	Maximum 140° 6m	10 seconds	with red light	

Lighting time adjustment	With full charge
10sec. ON per one time	approx. 600 times.



*Cord length: 5m

110
lumen

Equal to incandescent lamp 15w



*Clamp is optional.



LED hybrid solar light

Solar power + dry cell battery
Charging in daytime, lighting / crime prevention at night.

S-HB20

1W×2 LED Hybrid
Solar Sensor Light
HYBRID LED SENSOR LIGHT

Main body size(mm)
W155×D110×H167

Package
box

Package size(mm)
W198×D176×H122

Inner carton
Outer carton
— 6



* Main body weight: 330g
Solar panel size:
W67×D50×H145 150g

1W×2
LED

HYBRID



Solar power



Dry cell battery



*Cord length: 5m



	Solar	Dry cell
10sec. ON per one time	With full charge approx. 150 times	10sec. ON per one time approx. 400 times

Hybrid (Solar+Dry cell)	Auto ON/OFF detectable range Maximum 140° 8m	Lighting time 10 seconds
24 hr guard with red light	Rainproof	



Easily attachable vertically/horizontally



180
lumen

Equal to incandescent lamp 20w

S-HB10

1W×1 LED Hybrid
Solar Sensor Light
HYBRID LED SENSOR LIGHT

Main body size(mm)
W85×D137×H155

Package
box

Package size(mm)
W168×D160×H122

Inner carton
Outer carton
— 6



* Main body weight: 260g
Solar panel size:
W67×D50×H145 150g

1W
LED

HYBRID



Solar power



Dry cell battery



*Cord length: 5m



	Solar	Dry cell
10sec. ON per one time	With full charge approx. 300 times	10sec. ON per one time approx. 800 times

Hybrid (Solar+Dry cell)	Auto ON/OFF detectable range Maximum 140° 8m	Lighting time 10 seconds
24 hr guard with red light	Rainproof	



Easily attachable vertically/horizontally



90
lumen


Equal to incandescent lamp 10w

Features of hybrid solar sensor light

Charging solar power in daytime.
Dry cell battery supports when charging is insufficient.



HYBRID



AC

8W×2 LED Sensor Light with Camera

RITEX

LED sensor light

Security camera



Sensor light with camera



C-AC8160

8W×2 Sensor Light with Camera
LED SENSOR LIGHT

8W×2
LED

Sensor light with camera

Main body size(mm)
W295×D132×H146

Package
box

Package size(mm)
W230×D150×H145

Inner carton
Outer carton
— 6



* Main body weight: 860g



Effect of sensor light × security camera



Warning with light and recording with camera

Perfect evidence in color with light up



GOOD
DESIGN



Sensor light

Camera

AC 100-240V	Auto ON/OFF detectable range Maximum 140° 8m	Lighting time 15 sec. - 5 minutes	24 hr guard with red light	Mode change Night light ON/OFF (Lit at about 10% brightness)	Rainproof
Number of effective pixels 920,000 pixels	Image quality High definition	Lighting time 15 sec. or more	Max. recording time 1.5 hours Micro SD card (6GB included)	Recording media Micro SDHC card 16GB (included)	Camera shooting range Horizontal 65°, 6m



1500
lumen

Equal to halogen lamp 300w



AC

LED sensor light with flexible arm series

RITEX



14W / 27W LED sensor light with flexible arm series

To be a floodlight!

Night Light

Lit at about 10% brightness

Lit with 100% brightness by sensor detection.

QRcode



AC 100-240V	Auto ON/OFF detectable range Maximum 140°10m	Lighting time 5 sec. - 5 minutes	24 hr guard with red light	Mode change Night light ON/OFF (Lit at about 10% brightness)	Rainproof	Cord length 3m	String switch
-------------	---	-------------------------------------	----------------------------	--	-----------	-------------------	---------------

LED-AC3042

14W×3 LED Sensor Light with Flexible Arm

LED SENSOR LIGHT

Main body size(mm) W322×D125×H146	Inner carton —	Outer carton 6
Package: box		
Package size(mm) W230×D150×H135	4 954849 533426	

* Main body weight: 1040g

14W×3
LED

NEW

Triple super wide light



GOOD DESIGN

Simultaneous light up in 3 directions

4000
lumen

Equal to halogen lamp 800w



LED-AC2028

14W×2 LED Sensor Light with Flexible Arm

LED SENSOR LIGHT

Main body size(mm) W313×D125×H146	Inner carton —	Outer carton 6
Package: box		
Package size(mm) W230×D150×H135	4 954849 532283	

* Main body weight: 900g

14W×2
LED

NEW

Flexible twin light



GOOD DESIGN

Attachable to Ceiling

3000
lumen

Equal to halogen lamp 600w



27W wide LED sensor light

LED-AC1027

27W Wide Sensor Light with Flexible Arm

LED SENSOR LIGHT

Main body size(mm) W204×D151×H145	Package size(mm) W220×D180×H135
Package box	Inner carton —
	Outer carton 6



* Main body weight: 910g

4w
LED

Flexible wide light



GOOD DESIGN

2200
lumen

Equal to halogen lamp 200w



11W LED sensor light with flexible arm series

QRcode



AC 100-240V	Auto ON/OFF detectable range Maximum 140°10m	Lighting time 5 sec. - 5 minutes	24 hr guard with red light	Mode change Night light ON/OFF (Lit at about 10% brightness)	Rainproof	Cord length 3m
-------------	---	-------------------------------------	----------------------------	--	-----------	-------------------

LED-AC2022

11W×2 LED Sensor Light with Flexible Arm

LED SENSOR LIGHT

11W×2
LED

NEW


Flexible twin light



GOOD DESIGN

Main body size(mm) W295×D125×H146	Package box
Package size(mm) W230×D150×H135	Inner carton —
	Outer carton 6
4 954849 532221	

* Main body weight: 850g



Corner



Lightable over 180°

2000
lumen

Equal to halogen lamp 400w

LED-AC1011

11W×1 LED Sensor Light with Flexible Arm

LED SENSOR LIGHT

11w
LED

NEW

Flexible light



GOOD DESIGN

Main body size(mm) W95×D125×H146	Package box
Package size(mm) W160×D130×H135	Inner carton —
	Outer carton 6
4 954849 531118	

* Main body weight: 630g



Corner



Attachable to Ceiling

1000
lumen

Equal to halogen lamp 200w

4W LED sensor light

LED-AC103

4W LED Sensor Light

LED SENSOR LIGHT

4w
LED

Compact and economical light



Main body size(mm) W70×D158×H90	Package size(mm) W160×D103×H115
Package box	Inner carton —
	Outer carton 12



* Main body weight: 300g

AC 100-240V	Auto ON/OFF detectable range Maximum 140° 6m	Lighting time 30 seconds	Rainproof	Cord length 1.8m
-------------	---	-----------------------------	-----------	---------------------

* Clamp is optional.

300
lumen


Equal to halogen lamp 60w

Light up simultaneously with wireless network


40 lumen

Warm white color

AA x3
Battery lifetime 150days
(10sec.~10times/day)



*Approx. range of 20m



W-500

Anywhere Wireless Sensor Light
2pieces
LED PORTABLE SENSOR LIGHT

Main body size(mm)
W100xD29xH100

Package
PP box

Package size(mm)
W130xD100xH130

Inner carton 6 Outer carton 12



* Main body weight: 125g


0.7w LED

NEW

Light up simultaneously with wireless network



Auto ON/OFF softly



Dry cell Auto ON/OFF detectable range Maximum 100° 3m Lighting time Sensor (10/20/30 sec. ON) OFF / Stay-ON Indoor

W-505

Anywhere Wireless Sensor Light
1piece
LED PORTABLE SENSOR LIGHT

Main body size(mm)
W100xD29xH100

Package
Box

Package size(mm)
W130xD62xH130

Inner carton 6 Outer carton 24



* Main body weight: 125g



ASL-018

Anywhere LED Sensor Light Pop-eye
LED PORTABLE SENSOR LIGHT

0.5w LED

Freely adjustable light and sensor

Main body size(mm)
W85xH84xD28


Package
Card/Blister

Package size(mm)
W130xH200xD100

Inner carton 6 Outer carton 36



* Main body weight: 60g



AAA x3
Battery lifetime 140days
(10sec.~10times/day)
Stay-ON mode 9hours

30 lumen

Dry cell Auto ON/OFF detectable range Maximum 100° 3m Lighting time Sensor (10 sec. ON) / OFF / Stay-ON Indoor Flashlight Card

ASL-025

Anywhere Slim Sensor Light
LED PORTABLE SENSOR LIGHT

0.3w x2 LED

Light angle flexible

Main body size(mm)
W35xH185xD41


Package
Card/Blister

Package size(mm)
W100xH270xD43

Inner carton 6 Outer carton 36



* Main body weight: 70g



AAA x3
Battery lifetime 100days
(10sec.~10times/day)
Stay-ON mode 7.5hours

30 lumen

Dry cell Auto ON/OFF detectable range Maximum 100° 3m Lighting time Sensor (10 sec. ON) / OFF / Stay-ON Indoor Flashlight Card

ASL-035

Anywhere Welcome Sensor Light with Flashlight

LED PORTABLE SENSOR LIGHT

0.5w LED

Hospitality light

Handy light

Main body size(mm)
W55xD55xH220

Package
Box


Package size(mm)
W75xD65xH270

Inner carton
6

Outer carton
36



* Main body weight: 120g



Dry cell

Auto ON/OFF detectable range
Maximum 100° 4m

Lighting time
Sensor (10 sec. ON) / OFF / Stay-ON

Indoor

Auto lit softly
*sensor mode

Flashlight
40 lumen

Sensor light
30 lumen

AAA×3
Battery lifetime
140days
(10sec.×10times/day)
Stay-ON mode
9hours

ASL-010

LED Micro Sensor Light

LED PORTABLE SENSOR LIGHT

0.1w LED

Small battery type

Main body size(mm)
W45xD34xH68

Package
Card/Blister

Package size(mm)
W100xD55xH145

Inner carton
12

Outer carton
120



* Main body weight: 50g



N×3
Battery lifetime
120days
(10sec.×10times/day)
Stay-ON mode
30hours

5.8 lumen

Dry cell

Auto ON/OFF detectable range
Maximum 100° 4m

Lighting time
Sensor (20 sec. ON) / OFF / Stay-ON

Rainproof

Detachable holder

GS-150

Portable Sensor Light Mini

LED PORTABLE SENSOR LIGHT

0.25w LED

Easy installation with magnet, hook, pins

Main body size(mm)
W38xD33xH70

Package
Card/Blister

Package size(mm)
W100xD45xH140

Inner carton
10

Outer carton
100



* Main body weight: 70g



AAA×3
Battery lifetime
270days
(10sec.×10times/day)
Stay-ON mode
18hours

14.5 lumen

Dry cell

Auto ON/OFF detectable range
Maximum 100° 4m

Lighting time
Sensor (10 sec. ON) / OFF / Stay-ON

Indoor

Detachable holder

ASL-020

LED Sensor Slim Light

LED PORTABLE SENSOR LIGHT

0.2w LED

Slim fluorescent tube

Bright and beautiful

Main body size(mm)
W40xD39xH165

Package
Card/Blister

Package size(mm)
W99xD48xH272

Inner carton
10

Outer carton
100



* Main body weight: 80g



Dry cell

Auto ON/OFF detectable range
Maximum 100° 4m

Lighting time
Sensor (30 sec. ON) / OFF / Stay-ON

Indoor

Detachable holder



AA×3
Battery lifetime
200days
(10sec.×10times/day)
Stay-ON mode
40hours

11.6 lumen

ASL-030

LED Sensor Slim Light with Flashlight

LED PORTABLE SENSOR LIGHT

0.2w LED

3 functions by 1 unit

Main body size(mm)
W45xD45xH195

Package
Card/Blister

Package size(mm)
W120xD55xH272

Inner carton
10

Outer carton
40



* Main body weight: 130g



Dry cell

Auto ON/OFF detectable range
Maximum 100° 4m

Lighting time
Sensor (20 sec. ON) / OFF / Stay-ON

Indoor

Flashlight

Detachable holder



AA×3
Battery lifetime
300days
(10sec.×10times/day)
Stay-ON mode
Slim tube: 25hours
Flashlight: 35hours

11.6 lumen

*Slim tube

ASL-050

LED Sensor Slim Light DX

LED PORTABLE SENSOR LIGHT

1w LED

High-luminance 1W LED

Main body size(mm)
W42xD56xH203

Package
Card/Blister

Package size(mm)
W120xD65xH272

Inner carton
10

Outer carton
40



* Main body weight: 160g



Dry cell

Auto ON/OFF detectable range
Maximum 100° 4m

Lighting time
Sensor (20 sec. ON) / OFF / Stay-ON

Indoor

Flashlight

Detachable holder



C×3
Battery lifetime
200days
(10sec.×10times/day)
Stay-ON mode
20hours


88 lumen

Anywhere sensor light series
- Rechargeable light series

ASC-800
Anywhere Flat Sensor Light
LED HOME LIGHT


3w LED
Long battery life

Main body size(mm)
W49×D13.5×H255
Package Card / Blister
Package size(mm)
W120×D39×H270
Inner carton 6 Outer carton 36
Main body weight: 105g



Lithium-ion rechargeable battery
Auto ON/OFF detectable range Maximum 100° 3m
Lighting time Sensor (15sec. ON) / OFF / Stay-ON
Indoor Magnet USB cable

*USB charger is NOT included.



Rechargeable battery

Warm white color

100 lumen



AL-300
Rechargeable LED Soft Light with Sensor
LED HOME LIGHT

Auto ON with motion sensor
Relief in emergencies

Main body size(mm)
W67×H144×D61
*with charging holder
Package Card/Blister
Package size(mm)
W120×H270×D70
Inner carton 6 Outer carton 36
Main body weight: 135g



Sensor Light Auto ON with motion sensor
Night light Auto ON when gets dark
Flashlight Lights ON when taken in hand
Emergency/flickering light Auto ON at power failure Flickering as rescue signal
Convenient anytime Entrance Bedroom Bathroom
Relief in emergencies On power outage In emergency

Lithium-ion rechargeable battery
Auto ON/OFF detectable range Maximum 100° 4m
Light sensor 5 kinds of glowing modes
Flashlight Indoor Charging holder

Motion sensor
80 lumen
*Flashlight

AL-200
Rechargeable LED Soft Light
LED HOME LIGHT

High brightness LED
Auto ON at power failure

Main body size(mm)
W57×H112×D54
*with charging holder
Package Card/Blister
Package size(mm)
W120×H220×D55
Inner carton 6 Outer carton 36
Main body weight: 100g



Night light Auto ON when gets dark
Flashlight Lights ON when taken in hand
Emergency light Auto ON at power failure

Nichel-hydrogen rechargeable battery
ON / OFF / AUTO
Light sensor Flashlight Indoor Charging holder

20 lumen
*Flashlight

AL-100
Rechargeable LED Home Light
LED HOME LIGHT

Rechargeable type, reliable at power outages
Ready to use when needed

Main body size(mm)
W98×H110×D58
*with charging holder
Package Card/Blister
Package size(mm)
W120×H220×D65
Inner carton 10 Outer carton 40
Main body weight: 100g



Lithium-ion rechargeable battery
ON / OFF / AUTO
Light sensor Flashlight Indoor Charging holder

17.4 lumen
*Flashlight
*Stay-ON: 5hours with full charge

634634.jp/english/



551-1, Sato, Heiso-cho, Kakogawa City, Hyogo Pref., 675-1232 Japan

Telephone : +81-50-3627-4900

Facsimile : +81-79-429-0333

global@musashi-mfg.com